



WAUSAU

WINDOW AND WALL
SYSTEMS

Test Unit Elevations

Architectural Windows

4000i-DTFX Series Behavioral Care

Elevations Viewed From The Exterior

Maximum Drop Tested Size= 73 9/32" x 123 9/32" (frame size, single light fixed)

Minimum Drop Tested Size= 48" x 72" (frame size, with male/female stack)

Note: Consult Wausau Structural Engineering for unit sizes smaller than 40" x 60"


Section Contents	Page(s)
Perimeter	2 to 4
Interm. and Stacks	5 to 7
Glazing Options	8 and 9
Starters	10
Anchor Options	11
Blind Options	12
Blind Knob Options	13 and 14

AAMA Test Configurations (shown)

Architectural AW Class

For air, water, cycling and structural


Fixed Frame Size 96" x 72" Fixed 2438 mm x 1829 mm



NFRC 100 Thermal Test Configurations (shown)


For U-Factor and SHGC

Fixed Frame Size 47" x 59" 1200 mm x 1500 mm



NFRC

AAMA / FGIA



4000i-DTFX

Contact a Wausau Representative for other Possible Configurations.





WAUSAU

WINDOW AND WALL
SYSTEMS


Fixed Details

Architectural Windows

4000i-DTFX Series Behavioral Care



3







WAUSAU

WINDOW AND WALL
SYSTEMS


Fixed Details

Architectural Windows

4000i-DTFX Series Behavioral Care



6







WAUSAU

WINDOW AND WALL
SYSTEMS


Fixed Details

Architectural Windows

4000i-DTFX Series Behavioral Care



9






WAUSAU

WINDOW AND WALL
SYSTEMS


Intermediates and Stacks

Architectural Windows

4000i-DTFX Series Behavioral Care



10 Captured Fixed / Fixed



11 Captured Fixed / Fixed




WAUSAU

WINDOW AND WALL
SYSTEMS


Intermediates and Stacks

Architectural Windows

4000i-DTFX Series Behavioral Care



12 Structural Fixed / Fixed



13 Structural Fixed / Fixed




WAUSAU

WINDOW AND WALL
SYSTEMS


Intermediates and Stacks

Architectural Windows

4000i-DTFX Series Behavioral Care



14 Structural Fixed Stack



15 Structural Fixed Stack





WAUSAU

WINDOW AND WALL
SYSTEMS

Glazing Options

Architectural Windows

4000i-DTFX Series Behavioral Care






WAUSAU

WINDOW AND WALL
SYSTEMS

Glazing Options


Architectural Windows

4000i-DTFX Series Behavioral Care



Interior
Laminated Glass

Alternate
interior
glazing
materials




Contact a Wausau Representative for other Glazing Options.



Architectural Windows


4000i-DTFX Series Behavioral Care



4000i-DTFX Head & Jamb Starter

Through Frame or Formed Steel Anchor Installation available.

All interior receptor components must be set in a bed of security sealant, to maintain adequate resistance to removal. Project-specific structural analysis of anchorage, substrate, and receptor connection details is required.



4000i-DTFX Sill Starter

Through Frame or Formed Steel Anchor Installation available.

15 psf water test achieved as shown when end capped and continuous interior seals are applied.
No other options available without testing.




WAUSAU

WINDOW AND WALL
SYSTEMS

Accessories
Formed Steel Anchor Options

Architectural Windows

4000i-DTFX Series Behavioral Care



Slide-In Anchor
3/16" Formed Steel

Project-specific structural
analysis of anchorage
details is required.




WAUSAU

WINDOW AND WALL
SYSTEMS


Accessories
5/8" and 1" Blind Options

Architectural Windows


4000i-DTFX Series Behavioral Care




5/8" Blinds




1" Blinds




1" Blinds



5/8" Blinds



5/8" Blinds



1" Blinds




WAUSAU

WINDOW AND WALL
SYSTEMS


Accessories
Blind Knob Options

Architectural Windows


4000i-DTFX Series Behavioral Care



Concealed Flush Mount Low Profile



Anti-Ligature Blind Control



Anti-Ligature Blind Control




WAUSAU

WINDOW AND WALL
SYSTEMS


Accessories
Blind Knob Options

Architectural Windows


4000i-DTFX Series Behavioral Care



Concealed Flush Mount Low Profile



Anti-Ligature Blind Control



Anti-Ligature Blind Control